

SAFETY DATA SHEET

er means of identification Not ommended use Acid ommended restrictions Non pufacturer information Nu- 261 St. L Pho Eme sical hazards Flan Gas Ith hazards Acur Rep Spe expo ironmental hazards Not MIS 2015 defined hazards Not el elements Vot Signal word Dan Hazard statement Extr swa or re	ssurized RX-Acid Scavenger (4301-09 available. I neutralizer e known. Calgon 1 Schuetz Road ouis, MO 63043 US ne: 314-469-7000 / 800-554-5499 ergency Phone: 1-800-424-9300 (CHEM above. 2. Hazard identificati nmable aerosols es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated osure classified. classified.	/TREC)
ommended use Acid ommended restrictions Non nufacturer information Nu-4 261 St. L Pho Eme plier See sical hazards Flan Ith hazards Acid Ith hazards Not MIS 2015 defined hazards Not el elements Vot Signal word Dan Hazard statement Extr swa or re Precautionary statement Vot	I neutralizer e known. Calgon 1 Schuetz Road Jouis, MO 63043 US ne: 314-469-7000 / 800-554-5499 ergency Phone: 1-800-424-9300 (CHEM above. 2. Hazard identificati nmable aerosols es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated psure classified.	on Category 1 Liquefied gas Category 4 Category 1B
ommended restrictions Non nufacturer information Nu-4 261 St. L Pho Eme plier See sical hazards Ith hazards Ith hazards Not Signal word Hazard statement Precautionary statement	e known. Calgon 1 Schuetz Road Louis, MO 63043 US ne: 314-469-7000 / 800-554-5499 ergency Phone: 1-800-424-9300 (CHEM above. 2. Hazard identificati nmable aerosols es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated psure classified.	on Category 1 Liquefied gas Category 4 Category 1B
nufacturer information Nu-0 261 St. L Pho Eme plier See sical hazards Flan Gas Acur Ith hazards Acur Rep Spe ironmental hazards Not MIS 2015 defined hazards Not el elements Ith hazard statement Signal word Dan Hazard statement Extr swa or re Precautionary statement Ital	Calgon 1 Schuetz Road Louis, MO 63043 US ne: 314-469-7000 / 800-554-5499 ergency Phone: 1-800-424-9300 (CHEM above. 2. Hazard identificati nmable aerosols es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated osure classified.	on Category 1 Liquefied gas Category 4 Category 1B
261 St. L Pho Eme See sical hazards Ith hazards Ith hazards Ith hazards Not Rep Spe expo ironmental hazards Not BIS 2015 defined hazards Not el elements Signal word Hazard statement Extr swa or re	1 Schuetz Road Jouis, MO 63043 US ne: 314-469-7000 / 800-554-5499 ergency Phone: 1-800-424-9300 (CHEM above. 2. Hazard identificati nmable aerosols es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated psure classified.	on Category 1 Liquefied gas Category 4 Category 1B
sical hazards Flan Gas Ith hazards Acu Rep Spe expo ironmental hazards Not MIS 2015 defined hazards Not el elements Vot Signal word Dan Hazard statement Extr swa or re	2. Hazard identificati nmable aerosols es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated osure classified.	Category 1 Liquefied gas Category 4 Category 1B
Ith hazards Gas Ith hazards Acur Rep Spe ironmental hazards Not MIS 2015 defined hazards Not el elements Vot Signal word Dan Hazard statement Extr swa or re Precautionary statement Vot	nmable aerosols es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated osure classified.	Category 1 Liquefied gas Category 4 Category 1B
Ith hazards Gas Ith hazards Acur Rep Spe ironmental hazards Not MIS 2015 defined hazards Not el elements Vot Signal word Dan Hazard statement Extr swa or re Precautionary statement Vot	es under pressure te toxicity, oral roductive toxicity cific target organ toxicity, repeated psure classified.	Liquefied gas Category 4 Category 1B
Ith hazards Gas Ith hazards Acur Rep Spe ironmental hazards Not MIS 2015 defined hazards Not el elements Vot Signal word Dan Hazard statement Extr swa or re Precautionary statement Vot	te toxicity, oral roductive toxicity cific target organ toxicity, repeated osure classified.	Liquefied gas Category 4 Category 1B
Ith hazardsAcur Rep Spe exportironmental hazardsNotMIS 2015 defined hazardsNotel elementsImage: Comparison of the second s	te toxicity, oral roductive toxicity cific target organ toxicity, repeated osure classified.	Category 1B
Rep Spe expoironmental hazardsNotMIS 2015 defined hazardsNotel elementsImage: Comparison of the second seco	roductive toxicity cific target organ toxicity, repeated osure classified.	Category 1B
Spee expo ironmental hazards Not MIS 2015 defined hazards Not el elements Signal word Dan Hazard statement Extr swa or re	cific target organ toxicity, repeated osure classified.	
MIS 2015 defined hazards Not el elements Signal word Dan Hazard statement Extr swa or re		
el elements Signal word Dan Hazard statement Extr swa or re Precautionary statement	classified	
Signal word Dan Hazard statement Extr swa or re		
Signal word Dan Hazard statement Extr swa or re	\wedge \wedge \wedge	
Precautionary statement	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Harmful if swallowed. May damage fertility or the unborn child. Causes damage to organs through prolonged	
-	epeated exposure.	
and Kee Do r not	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe gas. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. IF exposed or concerned: Get medical attention.	
	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Store locked up.	
Disposal Disp	oose of container in accordance with loc	cal, regional, national and international regulations.
MIS 2015: Health Hazard(s) Non otherwise classified NOC)	None known	
MIS 2015: Physical Non ard(s) not otherwise sified (PHNOC)	e known	
. ,	e known.	
plemental information 52%		s) of unknown acute oral toxicity.

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Benzenamine, N,N'-methanetetraylbis[2,6-bis(ethylethyl)-	1-m	2162-74-5	10-30*
Benzene, C14-30-alkyl derivitive	es	68855-24-3	15-40*
Petroleum gases, liquefied, sweetened		68476-86-8	30-60*
All concentrations are in percent by	y weight unless ingredient is a gas. Gas conce	ntrations are in percent by volu	ume.
Composition comments	US GHS: The exact percentage (concentration secret in accordance with paragraph (i) of §1 *CANADA GHS: The exact percentage (concentrate secret.	910.1200.	
	4. First-aid measures	6	
Inhalation	If symptoms develop move victim to fresh air	. If symptoms persist, obtain m	nedical attention.
Skin contact	Flush with cool water. Wash with soap and w	ater. Obtain medical attention	if irritation persists.
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medica attention if irritation persists.		
Ingestion	IF SWALLOWED: Call a POISON CENTER		nse mouth.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effect	cts.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.		s may be delayed.
General information	IF exposed or concerned: Get medical advice. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach children.		erial(s) involved and doctor in attendance.
	5. Fire-fighting measur	es	
Suitable extinguishing media	Dry chemical. Carbon dioxide. Alcohol foam.		
Unsuitable extinguishing media media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.		ed to heat or flame.
Special protective equipment and precautions for firefighters	Not available.		
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exp to heat. Move containers from fire area if you can do so without risk. Containers should be co with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.		iners should be cooled
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. N containers from fire area if you can do so without risk. In the event of fire and/or explosion do breathe fumes.		
General fire hazards	Extremely flammable aerosol. Contents under pressure. Pressurized container may explode exposed to heat or flame.		iner may explode when
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen cyanide (hydrocyanic acid).		ydrogen cyanide
	6. Accidental release mea	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per low areas. Many gases are heavier than air a confined areas (sewers, basements, tanks). V during clean-up. Do not breathe gas. Emerge equipment. Do not touch damaged container protective clothing. Ventilate closed spaces be advised if significant spillages cannot be con- SDS. Do not breathe gas.	and will spread along ground a Wear appropriate protective ec ency personnel need self-conta s or spilled material unless we before entering them. Local aut	nd collect in low or quipment and clothing ained breathing aring appropriate thorities should be

Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
	7. Handling and storage
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames, hot surfaces No smoking. Do not smoke while using or until sprayed surface is thoroughly dry. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not breathe gas. Do not re-use empty containers. Do not taste or swallow. Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Use only in well-ventilated areas. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains. Use good industrial hygiene practices in handling this material.
Conditions for safe storage, including any incompatibilities	Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not handle or store near an open flame, heat or other sources of ignition. Do not puncture, incinerate or crush. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Keep out of reach of children.
	8. Exposure controls/Personal protection
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields.
Skin protection	
Hand protection	Impervious gloves. Confirm with reputable supplier first.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
Thermal hazards	Not applicable.
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. When using do not eat or drink.
	9. Physical and chemical properties
Appearance	Clear

Appearance	Clear
Physical state	Gas.
Form	Aerosol.
Color	Colorless to Straw
Odor	Mild aromatic
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.

Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flame extension	20 in
Heat of combustion	2546.82 kJ/mol
Oxidizing properties	Not oxidizing.
	10. Stability and reactivity
Reactivity	Do not mix with other chemicals. This product may react with strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen cyanide (hydrocyanic acid).
	11. Toxicological information
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of e	xposure
Ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.
Information on toxicological effe	ects
Acute toxicity	Harmful if swallowed.
Components	Species Test Results
	/lbis[2,6-bis(1-methylethyl)- (CAS 2162-74-5)
Acute	
Dermal	
LD50	Rat > 2000 mg/kg, 24 Hours, ECHA

Components	Species	Test Results
Inhalation LC50	Not available	
Oral LD50	Rat	300 - 2000 mg/kg, ECHA
Benzene, C14-30-alkyl derivitives		
Acute		
Dermal		
LD50	Rabbit	> 7940 mg/kg, US EPA
Inhalation LC50	Not available	
Oral		
LD50	Rat	> 15800 mg/kg, US EPA
Petroleum gases, liquefied, sweete Acute	ened (CAS 68476-86-8)	
Dermal		
LD50	Not available	
Inhalation		
LC50	Mouse	539600 ppm, 120 Minutes, ECHA
		520400 ppm, 120 Minutes, ECHA
		1237 mg/L, 120 Minutes, ECHA
		57 %, 120 Minutes, ECHA
		52 %, 120 Minutes, ECHA
	Rat	> 800000 ppm, 10 Minutes, ECHA
		1442738 mg/m3, 10 Minutes, ECHA
		1354944 mg/m3, 10 Minutes, ECHA
		570000 ppm, 10 Minutes, ECHA
		1443 mg/L, 10 Minutes, ECHA
		1355 mg/L, 10 Minutes, ECHA
Oral		
LD50	Not available	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	n.
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritati	on.
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Respiratory sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Skin sensitization	May cause an allergic skin reaction. No data available to indicate product or any component	ants present at greater than 0.1% are
Mutagenicity	mutagenic or genotoxic.	ento present at greater than U. I % are
Carcinogenicity	See below.	
Not listed.	d Substances (29 CFR 1910.1001-1052)	
Reproductive toxicity	May damage fertility or the unborn child.	
Teratogenicity	Not available.	

Specific target organ toxicity - single exposure	Not applicable.	
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Not likely, due to the form of the product.	
Chronic effects	Causes damage to organs through prolonged or repeated exposure.	
	12. Ecological information	
Ecotoxicity	Not available.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Mobility in general	Not available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
	13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.	
14. Transport information		
	Classification Methods Classified as nor Dart 2. Sections 2.1	
Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections $2.1 - 2.8$ of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.	
U.S. Department of Transportation	on (DOT)	
Basic shipping requirement	s:	
UN number	UN1950	
Proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)	
Hazard class Transportation of Dangerous Go	Limited Quantity - US	
Basic shipping requirement		
UN number	UN1950	
Proper shipping name	AEROSOLS, flammable	
Hazard class	Limited Quantity - Canada	
IATA/ICAO (Air)		
Basic shipping requirement	s:	
UN number	UN1950	
Proper shipping name	Aerosols, flammable	
Hazard class IMDG (Marine Transport)	2.1	
Basic shipping requirement	e'	
UN number	s. UN1950	
Proper shipping name	AEROSOLS	
Hazard class	2	



15. Regulatory information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
Canada CEPA Schedule I: L	.isted substance
Petroleum gases, liquefic 68476-86-8)	ed, sweetened (CAS Listed.
Export Control List (CEPA	1999, Schedule 3)
Not listed.	
Greenhouse Gases	
Not listed.	
Precursor Control Regulation	ons
Not regulated.	
WHMIS 2015 Exemptions	Not applicable
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substa	ance List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	se notification
Not regulated.	ed Substances (29 CFR 1910.1001-1052)
Not listed.	u Substances (29 CFR 1910.1001-1052)
	eauthorization Act of 1986 (SARA)
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	Yes
Classified hazard	Flammable (gases, aerosols, liquids, or solids)
categories	Gas under pressure Acute toxicity (any route of exposure)
	Specific target organ toxicity (single or repeated exposure)
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
•	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
5	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
US state regulations	See below

US - Texas Effects Screening Levels Hazard Data: Simple asphyxiant

Petroleum gases, liquefied, sweetened (CAS 68476-86-8)

US - Texas Effects Screening Levels: Listed substance

Benzene, C14-30-alkyl derivitives (CAS 68855-24-3) Listed. Petroleum gases, liquefied, sweetened (CAS Listed. 68476-86-8)

US. California Proposition 65

Not Listed.

Inventory status

Country(s) or region	Inventory name On inventor	ry (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the governing country(s	s)

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Disclaimer

HEALTH * 2	
FLAMMABILITY 4	2 0
PHYSICAL HAZARD 0	
PERSONAL X	

16. Other information

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. The information in the sheet was written based on the best knowledge and experience currently available.

Issue date	20-March-2023
Version #	01
Effective date	20-March-2023
Prepared by	Nu-Calgon Technical Service Phone: (314) 469-7000
Further information	Not available.
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.