SAFETY DATA SHEET



1. Identification

Product identifier Green Clean (4186-01, 4186-08, 4186-24)

Other means of identification Not available.

Recommended use Cleaner/Degreaser

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Nu-Calgon

Address 2611 Schuetz Road St. Louis, MO 63043

United States

Telephone 314-469-7000 / 800-554-5499

E-mail Not available.

Emergency phone number 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements



Signal word Danger

Hazard statement Causes serious eye damage.

Precautionary statement

Prevention Wear eye protection.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Storage Store away from incompatible materials.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s)

not otherwise classified

None known

WHMIS 2015: Physical

(HHNOC)

Hazard(s) not otherwise classified (PHNOC)

None known

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/Information on ingredients

ixture			
Chemical name	Common name and synonyms	CAS number	%
Alcohols, C9-11, ethoxylated		68439-46-3	1-5*
Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-		34398-01-1	1-5*
Sodium carbonate		497-19-8	1-5*
Sodium xylene sulphonate		1300-72-7	1-5*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. US GHS: The exact percentage (concentration) of composition has been withheld as a trade **Composition comments** secret in accordance with paragraph (i) of §1910.1200. *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

	trade secret.		
4. First-aid measures			
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.		
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.		
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.		
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.		
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children		
	5. Fire-fighting measures		

5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of sulfur.	

6. Accidental release measures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS		

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Avoid contact with eyes, skin and clothing. Provide adequate ventilation. Wear appropriate Precautions for safe handling personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a closed container away from incompatible materials. Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits No exposure limits noted for ingredient(s). **Biological limit values**

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other Wear suitable protective clothing. As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance Clear
Physical state Liquid.
Form Liquid.
Color Dark green
Odor Lemon

Odor threshold Not available.

pH 11.2

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Pour pointNot available.Specific gravityNot available.Partition coefficientNot available.

(n-octanol/water)

Flash point Not available
Evaporation rate Not available
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available

(%)

Flammability limit - upper

10/.1

Not available

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available

Vapor pressure

Vapor density

Relative density

Solubility(ies)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available

Not available

Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity This product may react with strong oxidizing agents. Reacts vigorously with acids.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability

Material is stable under normal conditions.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Strong oxidizing agents.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of sulfur.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting. Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Components **Test Results Species** Alcohols, C9-11, ethoxylated (CAS 68439-46-3)

Acute

Dermal

LD50 Rabbit 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 1600 mg/m3, 4 Hours, ECHA

Oral

LD50 Rat 3488 mg/kg, ECHA

Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- (CAS 34398-01-1)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

Not available LD50

Sodium carbonate (CAS 497-19-8)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, ECHA

Inhalation

LC50 800 mg/m3, 2 Hours, ECHA Guinea pig

> Mouse 1200 mg/m3, 2 Hours, ECHA Rat 2300 mg/m3, 2 Hours, ECHA

Oral

LD50 Rat 2800 mg/kg, ECHA, HSDB

Sodium xylene sulphonate (CAS 1300-72-7)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 6.4 mg/L, 232 Minutes, ECHA

Oral

LD50 Rat > 3346 mg/kg, ECHA Components **Species Test Results**

6500 mg/kg, OECD SIDS

Test Results

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available Not available. Erythema value Not available. Oedema value

Serious eye damage/eye

irritation

Causes serious eye damage.

Not available. Corneal opacity value Iris lesion value Not available. Not available. Conjunctival reddening

value

Not available. Conjunctival oedema value Not available. Recover days

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

Carcinogenicity See below.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Teratogenicity Not available. Specific target organ toxicity -Not classified. single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Aspiration hazard Not an aspiration hazard.

12. Ecological information

See below **Ecotoxicity**

Ecotoxicological data

Components

Alcohols, C9-11, ethoxylated (CAS 68439-46-3)		
Fish	Rainbow Trout	70.7 mg/L, 96 Hours

Species

Aquatic Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/L, 48 hours

LC50 Poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- (CAS 34398-01-1)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 1.6 - 2.5 mg/L, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 3.2 - 5 mg/L, 96 hours

Sodium carbonate (CAS 497-19-8)

Crustacea EC50 Daphnia 265 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 156.6 - 298.9 mg/L, 48 hours

LC50 Fish Bluegill (Lepomis macrochirus) 300 mg/L, 96 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

No data available. Mobility in soil Mobility in general Not available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Fathead minnow (Pimephales promelas) 6 - 12 mg/L, 96 hours

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

hazardous substance

Yes

SARA 311/312 Hazardous chemical

Classified hazard categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - Texas Effects Screening Levels: Listed substance

Alcohols, C9-11, ethoxylated (CAS 68439-46-3) Listed. Poly(oxy-1,2-ethanediyl), Listed.

alpha-undecyl-omega-hydroxy- (CAS 34398-01-1)

Sodium carbonate (CAS 497-19-8)

Listed. Listed.

Sodium xylene sulphonate (CAS 1300-72-7)

US. California Proposition 65

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

Issue date

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

07-December-2023

Version # 02

Effective date 07-December-2023

Prepared by Nu-Calgon Technical Service Phone: (314) 469-7000

Further information Not available.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.