Nu-Calgon

SAFETY DATA SHEET

1. Identification

Product identifier Fresh Linen (6100-05, 6100-10, 6100-20)

Other means of identification Not available. Recommended use Neutralizing Gel **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Nu-Calgon

2611 Schuetz Road **Address**

St. Louis, MO 63043

United States Telephone 314-469-7000 / 800-554-5499

E-mail Not available.

Emergency phone number 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazard identification

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified. WHMIS 2015 defined hazards Not classified

Label elements

Hazard symbol None. Signal word None.

Hazard statement This product is considered non-hazardous by WHMIS/OSHA criteria.

Precautionary statement

Prevention Not available. Not available. Response Not available. Storage Disposal Not available. None known

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical None known

Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Octadecanoic acid, sodium salt		822-16-2	5 - 10
1,2-Propanediol		57-55-6	1 - 5
Dodecanamide, N,n-dimethyl-		3007-53-2	0.1 - 1

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and

delayed

General information

Symptoms may be delayed. Treat patient symptomatically.

Indication of immediate medical attention and special treatment needed

If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Hazardous combustion products

Not available

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up **Environmental precautions**

Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid release to the environment. Observe good industrial hygiene practices. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Keep out of reach of children. Keep container tightly closed in a cool, dry and well-ventilated place.

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Type Components Value

Octadecanoic acid, sodium salt (CAS 822-16-2)

TWA

10 mg/m3

Components	Туре	Value	Form
Octadecanoic acid, sodium salt (CAS 822-16-2)	TWA	3 mg/m3	Respirable.
Sait (OAO 022-10-2)		10 mg/m3	Inhalable
•	g. 217/2006, The Workplace Safety And	•	Fa
Components	Туре	Value	Form
Octadecanoic acid, sodium salt (CAS 822-16-2)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Canada. New Brunswick Re Components	gulation 91-191, as amended Type	Value	
Octadecanoic acid, sodium salt (CAS 822-16-2)	TWA	10 mg/m3	
Canada. Ontario OELs. (Cor Components	ntrol of Exposure to Biological or Chen Type	nical Agents) Value	Form
1,2-Propanediol (CAS	TWA	155 mg/m3	Vapour and aerosol.
57-55-6)		10 mg/m3	Aerosol
		50 ppm	Vapour and aerosol.
Octadecanoic acid. sodium	TWA	30 ppm 3 mg/m3	Respirable fraction.
salt (CAS 822-16-2)	IVVA	3 mg/m3	nespirable fraction.
	istry of Labor - Regulation respecting	•	afety)
Components	Type	Value	
Octadecanoic acid, sodium salt (CAS 822-16-2)	TWA	10 ppm	
Canada. Saskatchewan OEL Components	.s (Occupational Health and Safety Reg Type	gulations, 2020. S-15.1 Reg Value	j. 10. Table 18)
Octadecanoic acid, sodium salt (CAS 822-16-2)	15 minute	20 mg/m3	
US. ACGIH Threshold Limit Components	Values Type	Value	Form
Octadecanoic acid, sodium salt (CAS 822-16-2)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
-	tal Exposure Level (WEEL) Guides	Value	Form
Components	Туре		
1,2-Propanediol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol
ogical limit values	No biological exposure limits noted for t	the ingredient(s).	
ropriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation of other engineering controls to maintain airborne levels below recommended exposure limits. exposure limits have not been established, maintain airborne levels to an acceptable level.		
vidual protection measures	such as personal protective equipmer	nt	
vidual protection incasures,	Not normally required when used as dir		
Eye/face protection	emergency situations, the use of appro-		
-			
Eye/face protection	emergency situations, the use of appro		
Eye/face protection Skin protection	emergency situations, the use of appro	priate skin protection is reco	
Eye/face protection Skin protection Hand protection	Not normally required when used as dir emergency situations, the use of appropriate when used as dir emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, the use of appropriate when used as directly emergency situations, and the used as directly emergency situations.	priate skin protection is reco normally required. n is maintained and exposure	mmended. e guidelines are not excee
Eye/face protection Skin protection Hand protection Other	Not normally required when used as dir emergency situations, the use of appropriate when used as directive situations, the use of appropriate was suitable protective clothing. Not n	priate skin protection is reco normally required. n is maintained and exposure	mmended. e guidelines are not excee
Eye/face protection Skin protection Hand protection Other Respiratory protection	Not normally required when used as diremergency situations, the use of appropriate when used as diremergency situations, the use of appropriate was suitable protective clothing. Not normally required if good ventilation in case of insufficient ventilation, wear second situations.	priate skin protection is reconormally required. In is maintained and exposure suitable respiratory equipme	mmended. e guidelines are not excee nt.

9. Physical and chemical properties

Solid. **Appearance** Solid. Physical state **Form** Solid. White Colour

Various Odour Odour threshold Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Specific gravity Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

Vapour pressure Not available. Not available. Vapour density Not available. Relative density Solubility(ies) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Not available. Pour point **Explosive properties** Not explosive. **Oxidising properties** Not oxidising.

10. Stability and reactivity

Possibility of hazardous

reactions

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Strong oxidising agents. Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological information

Inhalation. Routes of exposure Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged or repeated contact may dry skin and cause irritation.

Eye contact Direct contact with eyes may cause temporary irritation. Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components Species Test Results

1,2-Propanediol (CAS 57-55-6)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rabbit > 317042 mg/m3, 2 Hours, ECHA

Oral

LD50 Rat 22000 mg/kg, ECHA

Dodecanamide, N,n-dimethyl- (CAS 3007-53-2)

Acute

Dermal

LD50 Rat > 2000 mg/kg, ECHA

Inhalation

LC50 Rat > 3551 mg/m3, ECHA

Oral

LD50 Rat > 2000 mg/kg, ECHA

Octadecanoic acid, sodium salt (CAS 822-16-2)

Acute

Dermal

LD50 Rabbit > 3000 mg/kg, CCOHS

Inhalation

LC50 Not available

Oral

LD50 Rat > 5000 mg/kg, CCOHS

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity valueNot available.Iris lesion valueNot available.Conjunctival reddeningNot available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

Octadecanoic acid, sodium salt (CAS 822-16-2) Irritant

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available.

Specific target organ toxicity -

single exposure

Not classified.

Not classified.

Specific target organ toxicity -

repeated exposure

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

See below **Ecotoxicity**

Ecotoxicological data

Test Results Components **Species**

1,2-Propanediol (CAS 57-55-6)

Crustacea EC50 Daphnia 10000 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/L, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/L, 96 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

No data available. Mobility in soil Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the

product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

IMDG (Marine Transport)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US Federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely

No

hazardous substance

Nο

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed. Octadecanoic acid, sodium salt (CAS 822-16-2) Listed.

US - Texas Effects Screening Levels: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.

US. New Jersey Worker and Community Right-to-Know Act

1,2-Propanediol (CAS 57-55-6)

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6)

US. Rhode Island RTK

1,2-Propanediol (CAS 57-55-6)

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.


Inventory status

Country(s) or region	Inventory name On inv	entory (yes/no)*		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)				

16. Other information







Disclaimer The information in the safety data sheet was written by Dell Tech Laboratories Ltd.

(www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 27-October-2023

Version No. 01

Effective date 13-November-2023

Prepared by Nu-Calgon Technical Service Phone: (314) 469-7000

Further information Not available.